

HIACE

THE BEAT OUR CITY MOVES

Inere is a rnythm to our city, alive and composed by the people moving to its colourful energy. The Hiace is here to make sure we keep up with the tempo of the ever-present musical hustle and bustle. Purpose-built around the backbone of Toyota's hallmarks; Quality, Durability and Reliability - to become South Africa's most desired taxi. It has the exclusivity and comfort that neanly queue un for

Whether it's the 14- or the 16-seater, here is a minibus that has the power to drive you in comfort, style and safety. The Hiace is here to turn up the volume and keep our people moving to the groove that is South Africa.



INTERIOR DASH



15 PASSENGERS** CAN BE SEATED COMFORTABLY

Homeward bound safe and sound

Our taxis play an essential role in getting many South Africans to their different destinations, due to the COVID-19 pandemic, we are all required to social distance to help stop the spread. In order to adhere to the distancing rules, while still safely transporting passengers to where they need to go, TSAM - the number one Taxi seller in South Africa - has developed a shield (Covid Driver Guard), to improve the drivers' protection so they can continue the job at hand in a safe and responsible way.



Solid front suspension with an independent double wishbone and stabiliser, as well as a rigid axle and leaf spring* suspension at the rear is a foundation that you can rely on for excellent road holding.

No matter what the weather holds or how tricky the road surfaces may be, power steering, front heaters to demist the window and front window wipers with washer and intermittent function work together to keep your journey forever in view.

*Available on 2.5D GL Bus 14-seater.
**Available on 2.7 16-seater Taxi and 2.5 16-seater Taxi.



COVID DRIVER



DRIVER AND FRONT



WINDOW EMERGENCY EXIT

STARE

THE RANGE:

The Hiace Ses'fikile 2.7/ petrol 16-seater The Hiace Ses'fikile 2.5/ diesel 16-seater

And introducing...
The Hiace bus 2.5/ diesel 14-seater

The mover for the shakers

The Hiace has been given a modern polish to keep you shining through the city's ever-changing backdrop, while a redesigned heat panel and outside temperature display keeps you in touch and in tune with your surroundings. We've also redesigned the front bumper and radiator grille, the headlamps and rear combination lamps to ensure that everybody sees you coming.

The Hiace Ses'fikile 16-seater has maximised its interior space, so that all passengers are comfortably seated with ample cushioning and support. Passengers can easily stay refreshed throughout the day with two front cup holders in the 16-seater and 12 cup holders in the 14-seater bus. Both models come equipped with durable PVC flooring to prevent passengers from slip-ups.

With you for the long run

The 16-seater Ses'fikile has the option of a 2.7/ four-cylinder VVT-i petrol engine (Variable Valve Timing - intelligent) or a 2.5/ D-4D intercooled common rail turbodiesel engine, both boasting low fuel consumption and reduced emissions, providing a satisfying and economical drive experience.

The 14-seater bus offers a 2.5/engine with diesel-common rail fuel injection and 5-speed manual transmission to effortlessly keep people moving and arriving at their destinations from sunrise to sunset.





2.7 VVT-i PETROL ENGINE

i (Variable Valve Timing - intelligent) engine technology combines outstanding drivability with low fuel consumption and



2.5 D-4D DIESEL ENGINE

Common rail technology allows for the precise measurement and injection

	2.7 16-seater Taxi	2.5D 16-seater Taxi	2.5D GL Bus 14-seater
ngine and Drive Train	200 100 100 100 100		2.05 4.1 2.40 1.1 604.0.
st Gear Ratio	4.313	4.313	4.313
nd Gear Ratio	2.330	2.330	2.330
d Gear Ratio	1.436	1.436	1.436
h Gear Ratio	1.000	1.000	1.000
h Gear Ratio	0.838	0.838	0.838
verse Gear Ratio	4.220	4.220	4.220
ore x Stroke (mm)	95.0x95.0	92.0x93.8	92.0x93.8
mpression Ratio	9.6:1	18.5:1	18.5:1
splacement (cm³)	2694	2494	2494
aximum Power (kW @ r/min)	111 @ 4800	75 @ 3600	75@3600
eximum Torque (r/min)	241@3800	260 @ 1600-2400	260@1600-2400
lve Mechanism	16-valve DOHC with VVT-i	16-valve DOHC	16.D0HC
iel System	EFI	Diesel-Common Rail	Diesel-Common Rail
diator	•	•	•
khaust Emissions Control	Euro 2	Euro 2	Euro 2
el Filter	Regular	With Pressure Sensor	- Luio 2
ansmission	5 MT	5 MT	5 MT
ont Suspension	Double Wishbone	Double Wishbone	Double Wishbone
ear Suspension	Rigid Leaf	Rigid Leaf	Leaf Spring
arting System - Rotary Mechanical	•	•	•
heels and Tyres			
	195-R15 Steel	195-R15 Steel	195- R15 Steel
re Size			
pare Tyre	195-R15 Steel	195-R15 Steel	195-R15 Steel
dy and Styling			
de Steps	•	•	•
ud Guards	Front & Rear	Front & Rear	Front & Rear: Black
oor Outside Handle	Black	Black	Chrome
	Didek	• DidCk	•
eadlamps (Halogen)	G-1		
ront Grille	Colour	Colour	Chrome
aytime Running Lights (DRL)			•
igh-mounted Brake Light	LED	LED	LED
de Mirrors	Black	Black	Black
terior, Comfort and Convenience			
teering Wheel (4 Spoke Urethane)			
	•	·	
ower Steering	•	·	Hydraulic
oor Inside Handle (Resin Front & Rear)	•	•	Black
oom Lamps	•	•	•
uminated Entry System (W/Ignition, W/O Timer)	•	•	•
nside Rear View Mirror (Day & Night)	•		•
ssist Grip: Front: 3, Slide Door: 2			
un Visor: Driver & Passenger (Fabric)			•
	• • • • • • • • • • • • • • • • • • •	·	•
oot Rest	_ • _		•
up Holders	Front: 2	Front: 2	12
love Box	•	•	Not Lockable
ir Conditioner			•
ront Headrests	•	•	Adjustable: 2
peedometer: Analogue (km/h)	•		•
lock: Built in Meter			
	•	·	·
eter Illumination Control	•	•	•
udio			•
luetooth			•
UX			•
SB			•
peaker	4	4	6
ntenna: Pillar	•		•
afety and Security			
nti-theft System: Immobiliser	•	•	•
mergency Exit: Roof & Window	•	•	
ront Seat Belts: 3P ELRX2 (Driver & Passenger: Pretensioner)	•		•
river & Passenger Airbags			
ovid Driver Guard			
	•	•	
ower Door Lock	•	•	•
river Support Systems			
nti-Lock Braking System (ABS)			
mensions and Capacities			
verall Length (mm)	5380	5380	5380
verall Height (mm)	2285	2285	2285
verall Width (mm)	1880	1880	1880
heelbase (mm)	3110	3110	3110
round Clearance (mm)	180	180	180
uel Tank (⁄)	70	70	70
owing Capacity Unbraked (kg)	400	400	400
owing Capacity Braked (kg)	1400	1400	900
	1400	1700	300
rvice and Warranty			
ervice Intervals	12 Months / 10 000 km	12 Months / 10 000 km	12 Months / 10 000 km
			0.5 (00.000)
ervice Plan	6 Services / 60 000 km	6 Services / 60 000 km	9 Services / 90 000km

At Toyota Financial Services, we believe that purchasing your Toyota should be as enjoyable as driving it. Toyota Financial Services is the fast, flexible and convenient means of financing your Hiace. We have created a range of financial products that suit both private and business customers and these are easily accessible through your local Toyota dealer. We take the hassle out of arranging finance. Toyota Financial Services (South Africa) Ltd is an Authorised Financial Services (FSP No. 7454) and Registered Credit Provider (NCRCP62). For the most current information on prices and specifications, as well as comprehensive information about products offered by Toyota Financial Services, visit www.toyota.co.za/toyota-finance



DISCLAIMER:

The information contained in this leaflet is provided as is and without any warranties of any kind, whether expressed or implied, including but not limited to, implied warranties of satisfactory quality, fitness for a particular purpose and/or correctness. The contents of this leaflet are for general information purposes only and do not constitute advice. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Limited does not represent or warrant that the information and/or specifications contained in this leaflet are accurate, complete or current and specifically stipulates that certain vehicle details and specifications contained in this leaflet may differ in available models. Therefore, neither Toyota Motor Corporation of Japan nor Toyota South Africa Motors (Pty) Limited make any warranties or representations regarding the use of the content, details, specifications or information contained in this leaflet in terms of their correctness, accuracy, adequacy, usefulness, reliability or otherwise, in each case to the fullest extent permitted by law. Please note that claiming of input VAT needs to be verified by customers prior to vehicle purchase as these rulings are subject to SARS interpretation. Toyota South Africa Motors' rights remain reserved.

